

DELL 24 USB-C HUB MONITOR I P2422HE A better view from anywhere.





COMFORT WITHOUT SACRIFICING COLOR

Optimize eye comfort on this 23.8" USB-C® hub monitor with ComfortView Plus.1

Transform your monitor into a productivity hub with extensive connectivity.

OPTIMIZE YOUR WORKSPACE

Free up valuable desk space with this 23.8" FHD monitor featuring a small footprint and thin panel profile.



World's number 1 monitor company.* Backed by renowned Dell reliability.

Maximize productivity



COMFORT WITHOUT SACRIFICING COLOR

Comfort without sacrificing color: Optimize eye comfort on this 23.8" FHD monitor with ComfortView Plus¹, an always-on, built-in screen that reduces potentially harmful blue light emissions while delivering excellent color accuracy.

Color consistency comes standard: See consistent, vibrant colors across a wide viewing angle enabled by In-Plane Switching (IPS) technology. With 99% sRGB coverage, you get precise colors right out of the box.



OPTIMIZED WORKSPACE

Sleek, stylish and organized: Hide cords in the monitor riser to keep things organized. This sleek monitor has a three-sided ultrathin bezel, small base and an improved, easy-to-use cable management system.

Comfort is key: Tilt, swivel, pivot and adjust the height of your monitor (150 mm height adjustment range) for a comfortable working experience.

Designed with you in mind: Navigate the menu and adjust screen settings with the easy-to-use joystick control. Snap on the optional Dell Slim Soundbar (SB521A) and elevate your listening experience.

A productivity hub: Transform your monitor into a productivity hub with RJ45 for wired Ethernet connectivity and USB-C providing up to 65W power delivery — all in one clutter-free setup.

Enhanced manageability: MAC Address pass thorugh², PXE boot and wake-on-LAN are conveniently built in.

Single-cable convenience: Reduce cable clutter with USB-C connectivity, which offers the flexibility of connecting to multi-vendor USB-C systems³ and saves up to 72% of workspace setup time.⁴

Jumpstart productivity: Simply press the monitor power button and the power sync feature seamlessly starts your monitor and connected Dell PC, even when the laptop lid is closed. Compatible with select Dell PCs.⁵

Expand your efficiency: Boost productivity by up to 21% with a dual monitor setup.⁴ via Dell Express Daisy Chaining — a feature that allows automatic detection of the second display, skipping the manual step of changing OSD settings.

THANK YOU FOR MAKING DELL MONITORS #1 WORLDWIDE*

Peace of mind: Dell Premium Panel Exchange allows a free panel replacement during the Limited Hardware Warranty⁶ period even if only one bright pixel is found.

Minimize downtime: Your monitor comes with a 3-year Advanced Exchange Service⁷ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.⁶

Get a higher level of support: Upgrade to 24x7, in-region technical phone support from qualified engineers with Dell ProSupport option.⁸

CONNECT TO PRODUCTIVITY

Features & Technical Specifications


Monitor

Monitor	Dell 24 USB-C Hub Monitor – P2422HE	What's in the box?
Diagonal Viewing Size	604.70 mm (23.80 inches)	
Active Display Area		Components Monitor with stand
Width Height	527.04 mm (20.75 inches) 296.46 mm (11.67 inches)	Cables
Maximum Preset Resolution	1920 x 1080 at 60 Hz	Power cable
Aspect Ratio	16:9	DisplayPort to DisplayPort cable (1.8m)
Pixel Pitch	0.2745 mm x 0.2745 mm	USB Type-C cable (1.8m) Cable tie
Pixel Per Inch (PPI)	93	Documentation
Brightness Color Support	250 cd/m² (typical) Color gamut: sRGB 99% (typical)	Quick Setup Guide
	Color depth: 16.7 million colors	Safety and regulatory information
Contrast Ratio	1000:1 (typical)	I
Viewing Angle	178º/178º	
Response Time	5 ms typical (Fast) (gray to gray) 8 ms (Normal mode) (gray to gray)	
Panel Type	In-Plane Switching Technology	
Display Screen Coating	Anti-Glare	
Backlight Technology ComfortView Plus with Flicker-free screen	White LED edgelight system Yes	
Dell Display Manager Compatibility	Yes	
Remote Asset Management	Yes, via Dell Command I Monitor	
GSA/TAA	Yes	
Optional Soundbar	SB521A	
Connectivity		
Connectors	1 x HDMI port version 1.4 (HDCP 1.4) 1 x DisplayPort version 1.2 (HDCP 1.4) 1 x DisplayPort (Out) with MST (HDCP 1.4) 1 x USB Type-C [®] upstream port (Alternate mode with DisplayPort 1.2, Power Delivery up to 65 W)** 4 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) downstream port 1 x RJ45 port	
HDCP Support	HDMI HDCP 1.4 DP HDCP 1.4	
Design Features		
Adjustability	Height adjustable stand (150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°), Pivot (-90° to 90°)	
Security	Security lock slot (cable lock sold separately)	
Flat Panel Mount Interface	VESA (100 mm x 100 mm)	
Power		
AC input voltage/frequency/current Power Consumption (Operational)	100 VAC to 240 VAC / 50 Hz or 60 Hz ± 3 Hz / 1.5 A (typical) 0.2 W (Off mode) ⁹ 0.3 W (Standby Mode) ⁹ 14.5 W (On mode) ⁹	
	118 W (Max.) ¹⁰	
Power Consumption Stand by / Sleep	Less than 0.3W	
Dimensions (with stand)		
Height	496.11 mm (19.53 inches)	
Width Depth	537.80 mm (21.17 inches) 179.57 mm (7.07 inches)	
Weight		
Weight (panel only - for VESA mount/ no cables)	3.81 kg (8.40 lb)	
Weight (monitor and cables with stand) Weight (with packaging)	6.00 kg (13.23 lb) 8.38 kg (18.47 lb)	
Standard Service Plan	Premium Panel Exchange, 3 Years Advanced Exchange Service ⁷ & Limited Hardware Warranty ⁶	
Optional Service Plan	Dell ProSupport ⁸	
Environmental Compliance	ENERGY STAR® certified monitor, EPEAT® Gold registered where applicable ¹¹ , RoHS-compliant, TCO Edge Certified Displays, BFR/PVC free monitor (excluding external cables), Arsenic-free glass and Mercury-free for the panel only.	

Adjustability and connectivity

DELL 24 USB-C HUB MONITOR I P2422HE

Easily adjust the panel to your preferred viewing position.



6 For a copy of the Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see dell.com/warranty.

- 7 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.
- 8 Availability varies, please visit www.dell.com/support for details.
- 9 As defined in EU 2019/2021 and EU 2019/2013.
- 10 Maximum brightness and contrast setting with maximum power loading on all USB ports.
- 11 EPEAT registered in the U.S. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- The FEAT registered in the 0.5. EFEAT registration varies by country. See www.epeat.net.ion registration status by cou
- 12 Based on Dell analysis of publicly available specs of comparative attachable monitor soundbars, July 2020
- 13 Compatible with select Dell monitors only. Please refer to the Dell Slim Soundbar SB521A compatibility list on dell.com.

Dell.com/monitors

Product availability varies by country. Please contact your Dell representative for more information.

© 2021 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum.







