

## 4-Lines Mid-Level IP Phone

### FAP2740G

FIBERME FAP2740G is a cost-effective Gigabit color screen SIP phone with high performance especially for enterprises.

It features a 2.8-inch 320x240 pixel color screen, supporting 4 SIP lines and local 6-party conferencing to render a user-friendly experience. FAP2740G has rich functions such as HD audio, dual 10/100/1000 Mbps network ports, and integrated PoE, providing an efficient and high-quality business communication experience for enterprises.

### Main Functions

- Local Phonebook (1000 entries)
- Call logs (In/Out/Missed, 600 entries)
- Blocked List/Allowed List
- Voice Message Waiting Indication (VMWI)
- Programmable DSS/Soft keys
- Call out / Answer / Reject
- Mute / Unmute (Microphone)
- Call Hold / Resume
- Call Waiting
- Intercom
- Caller ID Display
- Speed Dial
- Anonymous Call (Hide Caller ID)
- Call Forward (Always/Busy/No Answer)
- Call Transfer (Attended/Unattended)
- Call Parking/Pick-up (Depending on server)
- Redial
- Do-Not-Disturb
- Auto-Answering
- Voice Message (With server)
- 6-party Conference
- Hot Line
- Hot desking



Full-duplex speakerphone with HD audio to maximize audio quality and clarity



FAP2740G includes built-in PoE to power the device and give it a network connection



Supports 6-way audio conferencing for easy conference calls



2.8" 320 x 240px Graphic Color screen with backlight with an adjustable backlight



Supports 4 SIP accounts



Electronic Hook Switch (EHS) support for Plantronics, Jabra, and Sennheiser headsets

- 2.8-inch 320x240 pixel color display
- Support audio codec G.722 and Opus, HD audio on speakerphone and handset
- Support 6-party local conference
- Support EHS wireless headset
- Dual network ports, integrated PoE
- Two installation methods of desktop stand and wall mountable

<b>LCD Screen</b>	2.8-inch 320x240 pixel color screen
<b>Function Keys</b>	<ul style="list-style-type: none"> <li>• 9 Function keys (Hold/Transfer/Voice message/Conference/Phonebook /MWI/Headset/Redial/Hands-free)</li> <li>• 3 Line keys (With LED Indicator Light)</li> <li>• 4 Soft keys, 4 navigate keys, volume+/-</li> </ul>
<b>SIP Accounts</b>	4 SIP accounts
<b>Ethernet Ports</b>	<ul style="list-style-type: none"> <li>• 2x 1Gbps Ports</li> <li>• Support PoE</li> </ul>
<b>Other Ports</b>	1 x Handset port, 1 x RJ9 Headset port
<b>Direct IP Call</b>	Supported
<b>Phonebook</b>	1000 records; phonebook search/import/export; XML/LDAP remote phonebook; blacklist
<b>Call History</b>	600 records; call history: all/missed/dialed/received
<b>Audio Conferencing</b>	Supports 6-way audio conferencing for easy conference calls
<b>Network Safety</b>	<ul style="list-style-type: none"> <li>• Physical: Ethernet, dual bridged port for PC bypass</li> <li>• IP Mode: IPv4/IPv6</li> <li>• IP Configuration: Static IP / DHCP / PPPoE</li> <li>• Network Access Control: 802.1x</li> <li>• VPN: L2TP / OpenVPN</li> <li>• VLAN</li> <li>• LLDP</li> <li>• QoS</li> <li>• RTPCP-XR (RFC3611), VQ-RTCPXR (RFC6035)</li> </ul>
<b>Auto-provision</b>	Auto-Provisioning via FTP/TFTP/HTTP/HTTPS/DHCP OPT66/SIP PNP/TR-069
<b>Audio Codec</b>	<ul style="list-style-type: none"> <li>• Narrowband Codec: G.711a/u, G.723.1, G.726, G.729A/B, iLBC/Opus</li> <li>• Wideband Codec: G.722, Opus</li> </ul>
<b>Power</b>	<ul style="list-style-type: none"> <li>• DC Power Input: 5V/0.6A</li> <li>• Power Consumption(Adapter):0.84 ~1.43W</li> <li>• Power Consumption(PoE):1.32 ~2.09W</li> </ul>



FIBERME Communications LLC  
1749 Old Meadow Rd., Suite 401  
McLean, VA 22102, USA



[www.fiberme.com](http://www.fiberme.com)  
[sales@fiberme.com](mailto:sales@fiberme.com)

